

SAFETY DATA SHEET

Product:	UltraPhos® Phosphine Fumigant	Date Prepared: 29 September 2022
Company:	Specialty Gases Pty Ltd	Replaces: 13 Dec 2021
		Page 1 of 14

1 IDENTIFICATION

Product Name:	UltraPhos® Phosphine Fumigant
Other Names:	Phosphine gas
Chemical Names:	Phosphine
Uses:	Fumigant
Supplier	
Name:	Specialty Gases Pty Ltd
Address:	Suite 18, 12 Tryon Road, Lindfield, NSW 2070
Telephone:	1300 55 71 00
Email:	info@specialtygases.com.au
Emergency Telephone:	1300 55 71 00

Please ensure you refer to the limitations of this Safety Data Sheet as set out in Section 16 "Other Information."

2 HAZARDS IDENTIFICATION

The hazard information contained in this section is for non-users handling the product and its ingredients. Users should refer to the APVMA approved label on the container for advice in relation to use and handling of the product.

Classified as hazardous according to the criteria of the GHS as adopted in Australia. A Dangerous Good according to ADG 7.7.

Hazard Class and Category:

Flammable Gas Category 1
Gas Under Pressure, Liquefied Gas
Acute Toxicity (Inhalation) Category 2
Skin Corrosion/Irritation Category 1B
Serious eye damage/eye irritation, Category 1
Aquatic Toxicity (Acute) Category 1

Hazard Statements:

H220: Extremely flammable gas
H280: Contains gas under pressure; may explode if heated
H330: Fatal if inhaled
H314: Causes severe skin burns and eye damage
H400: Very toxic to aquatic life

SAFETY DATA SHEET

Product:	UltraPhos® Phosphine Fumigant	Date Prepared: 29 September 2022
Company:	Specialty Gases Pty Ltd	Replaces: 13 Dec 2021
		Page 2 of 14

Signal Word: Danger

Poison Schedule: 7



Precautionary Statements:

Prevention

- P210: Keep away from heat/sparks/open flames/hot surfaces - No smoking.
- P260 & P271: Do not breathe gas. Use only outdoors or in a well-ventilated area.
- P284: Wear respiratory protection.
- P264: Wash exposed skin thoroughly after handling.
- P280: Wear protective gloves/protective clothing/eye protection/face protection.
- P273: Avoid release to the environment.

Response

- P377 & P381: **Leaking gas fire:** Do not extinguish, unless leak can be stopped safely. In case of leakage eliminate all ignition sources if safe to do so.
- P304 + P340 + P310: **IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor.
- P301 + P330 + P331: **IF SWALLOWED:** Rinse mouth. Do NOT induce vomiting.
- P303 + P361 + P353: **IF ON SKIN (or hair):** Remove/Take off immediately all contaminated clothing. Rinse skin with water or shower.
- P304 + P340: Wash contaminated clothing before reuse.
- P305 + P351 + P338: **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
- P391: Collect spillage.

Storage

- P410+ P403+ P233 + P405: Protect from sunlight. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal

- P501: Dispose of contents/container in accordance with local regulations.

Other hazards

- May ignite spontaneously in contact with air.

SAFETY DATA SHEET

Product:	UltraPhos® Phosphine Fumigant	Date Prepared: 29 September 2022
Company:	Specialty Gases Pty Ltd	Replaces: 13 Dec 2021
		Page 3 of 14

3 COMPOSITION AND INFORMATION ON INGREDIENTS

Substance Name	CAS Number	Concentration % (w/w)
Phosphine	7803-51-2	99

4 FIRST-AID MEASURES

**If poisoning occurs, contact a doctor or Poisons Information Centre.
Phone 13 11 26.**

First-Aid	Eye wash facilities and safety shower should be available.
Ingestion	Not an expected route of exposure. If ingested: Immediately remove the patient/victim from the source of exposure. Ensure that the patient/victim has an unobstructed airway. Do not induce vomiting (emesis). See the Inhalation section for first aid recommendations. Seek medical attention immediately.
Inhalation	Immediately remove the patient/victim from the source of exposure to uncontaminated area. Evaluate respiratory function and pulse. Ensure that the patient/victim has an unobstructed airway. Seek medical attention immediately. First responders/rescuers must use personal protective equipment including respiratory protection (SCBA preferred) during rescue Perform cardiopulmonary resuscitation if breathing stopped. Always use a barrier or bag-valve-mask device.
Skin Contact	Immediately remove the patient/victim from the source of exposure. In cases of contact with liquid agent (compressed gas), thaw frostbitten skin with lukewarm (NOT HOT) water; gently remove clothing from the affected area. Dry with clean towels and keep the victim warm and quiet. Apply a sterile dressing. Seek medical attention immediately.
Eye Contact	Immediately remove the patient/victim from the source of exposure. Immediately wash eyes with large amounts of tepid water for at least 15 minutes. If frostbite occurs from contact with liquid (compressed) phosphine, thaw with lukewarm water. Seek medical attention immediately.

SAFETY DATA SHEET

Product:	UltraPhos® Phosphine Fumigant	Date Prepared: 29 September 2022
Company:	Specialty Gases Pty Ltd	Replaces: 13 Dec 2021
		Page 4 of 14

Advice to Doctor:	<p>If the patient is unconscious and breathing stops, immediately ventilate artificially and if the heart stops, begin cardiopulmonary resuscitation. In case of ingestion, after consideration of tracheal intubation, perform gastric aspiration and lavage with cold water and preferably sodium bicarbonate solution (2%). Do not give milk, fats or saline emetics. Administration of repeated doses of activated charcoal through the gastric tube may be useful. Monitor and support vital functions, particularly cardiopulmonary, G.I., renal and hepatic functions.</p> <p>Treat shock conventionally and correct acidosis based on blood gas analyses.</p> <p>No antidote is available for phosphine poisoning.</p> <p>Early recognition and management of the poisoning is essential.</p>
Symptoms caused by exposure	<p>May cause severe chemical burns to skin and cornea. Suitable first-aid treatment should be immediately available. Seek medical advice before using product.</p> <p>Delayed adverse effects possible.</p> <p>Material is destructive to tissue of the mucous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.</p> <p>Refer to section 11.</p>

5 FIRE-FIGHTING MEASURES

Suitable Extinguishing Equipment:	<p>For small fires, use dry chemical, carbon dioxide, water spray, or alcohol-resistant foam.</p> <p>For large fires, use water spray, fog, or alcohol-resistant foam</p>
Flash Point:	Phosphine in air mixtures can be explosive.
Explosion Limit Lower: Upper	<p>1.6%</p> <p>98.0%</p>
Hazards from Combustion Products:	When burnt phosphine releases phosphorous oxides such as phosphorus pentoxide as a dense white cloud of a severe respiratory irritant.

SAFETY DATA SHEET

Product:	UltraPhos® Phosphine Fumigant	Date Prepared: 29 September 2022
Company:	Specialty Gases Pty Ltd	Replaces: 13 Dec 2021
		Page 5 of 14

Precautions for Fire-Fighters	<p>Containers may rupture or explode. Leaking gas can be ignited from distance resulting in flash back.</p> <p>Vapours are heavier than air. They will spread along the ground and collect and stay in poorly-ventilated, low-lying, or confined areas (e.g., sewers, basements, and tanks). Hazardous concentrations may develop quickly in enclosed, poorly-ventilated, or low-lying areas. Keep out of these areas. Stay upwind.</p> <p>Fire-fighters should wear full protective equipment including chemical resistant clothing and SCBA. Fight fire from safe distance. Keep containers cool by spraying with water. Remove containers only if safe to do so.</p> <p>If a bulk tank or truck loaded with cylinders is involved in a fire, isolate it for at least 1500 m in all directions; also consider initial evacuation 1500 m in all directions.</p>
HAZCHEM CODE	2PE

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Do not enter potentially contaminated air unless monitoring has confirmed concentrations are below allowable exposure limits. If concentration is above acceptable exposure limit or is not known when handling the product wear suitable respiratory protection, eye and face protection and chemical resistant overalls, buttoned to the neck and wrist and chemical resistant gloves and chemical resistant, safety footwear. Self-contained breathing apparatus (SCBA) preferred if exposure limits might be exceeded.

Small spills

First isolate in all directions (60 m). Then protect persons downwind, during the day (0.7 km) and the night (3.0 km).

Large spills

First isolate in all directions: (450 m). Then protect persons downwind during the day (4.3 km) and the night (9.6 km).

Environmental Precautions:

Take precautions to prevent gas escaping but only if safe to do so. Reduce vapour with fog or fine water spray.

SAFETY DATA SHEET

Product:	UltraPhos® Phosphine Fumigant	Date Prepared: 29 September 2022
Company:	Specialty Gases Pty Ltd	Replaces: 13 Dec 2021
		Page 6 of 14

Containment:

Shut off leakage if safe to do so. Prevent entry into waterways, drains and confined areas. Use water spray, fog or vapour-suppressing foam to knock down vapours or divert vapour clouds. Do not direct water at source of spill or leak.

Clean Up:

Volatile substance. Provide ventilation. Forced air ventilation using explosion resistant fan may be required. Ensure all equipment used in clean-up is grounded. Keep area evacuated and free from ignition sources until any spilled liquid has evaporated (ground free from frost). Hose down area with water. Wash contaminated equipment or sites of leaks with copious quantities of water.

7 HANDLING AND STORAGE

Handling:

Do not breathe gas. Only use with adequate ventilation. Avoid release of product into atmosphere. Where concentration is not known or monitoring has confirmed levels are above permitted exposure limits wear full protective equipment including self-contained breathing apparatus (SCBA). Do not handle if there is risk of ignition. Keep away from ignition sources (including static discharges).

Only experienced and properly instructed persons should handle gases under pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system is regularly checked for leaks before use.

Purge system with dry inert gas (e.g., nitrogen or carbon dioxide) before gas is introduced and when system is taken out of service. Avoid suck back of water, acid and alkalis.

Assess the risk of potentially explosive atmospheres and the need for explosion-proof equipment. Purge air from system before introducing gas. Take precautionary measures against static discharge.

Do not eat, drink or smoke when handling product.

Do not allow back flow into the cylinder. Protect cylinders from physical damage; do not drag, roll, slide or drop. Leave valve protection caps in place until the cylinder has been secured. If difficulty operating the valve occurs discontinue use and contact supplier. Never attempt to repair or modify cylinder valves or safety relief devices. Damaged valves should be reported immediately to the supplier. Keep cylinder valve outlets clean and free from contaminants particularly oil and water.

SAFETY DATA SHEET

Product:	UltraPhos® Phosphine Fumigant	Date Prepared: 29 September 2022
Company:	Specialty Gases Pty Ltd	Replaces: 13 Dec 2021
		Page 7 of 14

Replace valve outlet caps or plugs and cylinder caps where supplied as soon as cylinder is disconnected from equipment. Close cylinder valve after each use and when empty, even if still connected to equipment. Never attempt to transfer gases from one cylinder/container to another. Never use direct flame or electrical heating devices to raise the pressure of a cylinder. Do not remove or deface labels provided by the supplier for the identification of the content of the cylinder. Suck back of water into the cylinder must be prevented. Open valve slowly to avoid pressure shock.

Requirements for Storage Areas and Containers:

Store to be locked up. Protect from sunlight. Store in a cool well-ventilated, fire-resistant place preferably outdoors away from sources of ignition. All electrical equipment in the storage areas should be compatible with the risk of a potentially explosive atmosphere. Store cylinders secured and upright. Keep cylinder valve closed and with valve outlet cap and valve protection cap in place. Keep away from combustible materials. Segregate from oxidant gases and other oxidants in store. Keep out of reach of children and unauthorised persons and away from dwellings, animals, food, feedstuffs, seeds and fertilisers.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

Occupational Exposure Limits: Exposure limits have been established by Safe Work Australia for this product.

Substance	TWA (ppm)	TWA (mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Comments
Phosphine	0.3	0.42	1	1.4	

Engineering Controls:

Product to be handled in a closed system and under strictly controlled conditions. Preferably use permanent leak-tight installations (e.g. welded pipes). Systems under pressure should be regularly checked for leakages. Maintain vapour levels below the recommended exposure standard.

Where an inhalation risk exists, mechanical extraction/forced air ventilation is recommended if monitoring indicates levels above or could exceed permitted exposure levels. Gas detectors should be used when toxic gases may be released. Ensure ventilation equipment is explosion resistant.

Isolate all potential sources of ignition. Consider the use of a work permit system e.g., for maintenance activities.

SAFETY DATA SHEET

Product:	UltraPhos® Phosphine Fumigant	Date Prepared: 29 September 2022
Company:	Specialty Gases Pty Ltd	Replaces: 13 Dec 2021
		Page 8 of 14

Personal Protective Equipment:

A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select appropriate PPE. PPE compliant to the recommended AS/NZS standards should be selected.

Respiratory Protection:

Use gas filters with full face mask, where exposure limits may be exceeded for a short-term period, e.g., connecting or disconnecting containers. AS/NZS 1715 recommends a cartridge change schedule be developed instead of relying on contaminant warning properties. It is recommended to consult a reputable filter supplier for a suitable filter such a Filter B (grey). Gas filters do not protect against oxygen deficiency. Keep self-contained breathing apparatus readily available for emergency use. Self-contained breathing apparatus is recommended, where unknown exposure may be expected, e.g., during maintenance activities on installation systems.

Eye and Face Protection:

Full facepiece respirator with combined dust and gas cartridge or supplied air respirator – see respiratory protection. Provide eyewash and safety shower near potential areas of exposure.

Skin and Body Protection:

Chemical resistant clothing buttoned to neck and wrist. Wear cold insulating and chemical resistant gloves when transfilling or breaking transfer connections. Consult glove manufacturer's product information on material suitability and material thickness. The breakthrough time of the selected gloves must be greater than the intended use period. Wear chemical resistant safety footwear. Provide eyewash and safety shower near potential areas of exposure.

Thermal Hazards:

Keep suitable chemically resistant protective clothing readily available for emergency use. Consider the use of flame resistant anti-static safety clothing. Liquid can cause burns. Wear resistant gloves (see skin and body protection) if there is risk of exposure to liquid.

SAFETY DATA SHEET

Product:	UltraPhos® Phosphine Fumigant	Date Prepared: 29 September 2022
Company:	Specialty Gases Pty Ltd	Replaces: 13 Dec 2021
		Page 9 of 14

9 PHYSICAL AND CHEMICAL PROPERTIES

physical state/colour	Colourless gas	pH	Not applicable
odour	Pungent. Fish or garlic like	kinematic viscosity	No reliable data available.
melting point/freezing point	-133°C	solubility	Slightly soluble in water (300 mg/L). Soluble in alcohol and ether.
boiling point or initial boiling point and boiling range	-87.7°C	partition coefficient: n-octanol/water (log value)	Not applicable for inorganic products.
flammability	Extremely flammable gas	vapour pressure	2.93 x 10 ⁴ mm Hg (3.9 x 10 ⁶ Pa) at 25°C
lower and upper explosion limit/flammability limit	1.6% - 98.0%	density and/or relative density (water = 1)	0.74
flash point	Not applicable for a gas	relative vapour density,	1.17
Auto-ignition temperature	38°C	particle characteristics	Not applicable
decomposition temperature	Not applicable	Critical Temperature	Phosphine: 51.6 °C

Other information: Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.

Pure phosphine is unlikely to spontaneously ignite in air at 150°C, however, may ignite spontaneously in the presence of diphosphine P₂H₄ impurities.

10 STABILITY AND REACTIVITY

Reactivity:
No reactivity hazard other than the effects described in sub-sections below.
Stability:
Stable under normal conditions and up to 55°C

SAFETY DATA SHEET

Product:	UltraPhos® Phosphine Fumigant	Date Prepared: 29 September 2022
Company:	Specialty Gases Pty Ltd	Replaces: 13 Dec 2021
		Page 10 of 14

Conditions to Avoid:

Can form explosive mixture with air. May react violently with oxidants. Can ignite spontaneously in air (fire cannot be put out). Can form spontaneous, violently explosive mixture in air.

Incompatible Materials:

Air and oxidising agents. For additional information on compatibility refer to ISO 11114.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced. In a fire phosphorous oxides and hydrogen are produced.

11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Oral:

Not a likely source of exposure.

Rat LD₅₀ 5 mg/kg

Oral exposure to liquid can result to burns and inhalation of gas.

Inhalation:

Highly Toxic: LC50 4 hr: 34 mg/m³ (rats). Fatal if inhaled. Delayed fatal pulmonary oedema possible.

Dermal toxicity:

Can cause burns.

Skin Corrosion/Irritation:

Exposure to liquid can cause burns.

Eye Irritation/corrosion:

Exposure to liquids can cause serious damage to eyes.

Sensitisation:

Not a sensitiser

Germ cell mutagenicity:

No known effects from this product.

Carcinogenicity:

No known effects from this product.

Reproductive toxicity:

No known effects from this product.

Specific Target Organ Toxicity:

SAFETY DATA SHEET

Product:	UltraPhos® Phosphine Fumigant	Date Prepared: 29 September 2022
Company:	Specialty Gases Pty Ltd	Replaces: 13 Dec 2021
		Page 11 of 14

<p>Single exposure: Severe corrosion to the respiratory tract at high concentrations. Damage to central nervous system. Irritation to the respiratory tract.</p> <p>Repeated exposure: No known effects from this product.</p>
<p>Aspiration Hazard: Not applicable for gases and gas mixtures.</p>
<p>Information on possible routes of exposure: Inhalation, skin and eye contact.</p>
<p>Early onset symptoms related to exposure: Acute (short-term) inhalation exposure to phosphine may cause headaches, dizziness, fatigue, drowsiness, burning substernal pain, nausea, vomiting, cough, laboured breathing, chest tightness, pulmonary irritation, pulmonary oedema, and tremors in humans. Convulsions may ensue after an apparent recovery</p>
<p>Delayed health effects from exposure: Chronic (long-term) occupational exposure of workers to phosphine may cause inflammation of the nasal cavity and throat, weakness, dizziness, nausea, gastrointestinal, cardiorespiratory, and central nervous system symptomology, jaundice, liver effects, and increased bone density.</p>
<p>Exposure levels and health effects: An air concentration of 0.3 ppm TWA is safe for long term exposure, 500 ppm is lethal in 30 minutes, and a concentration of 1,000 ppm is lethal after a few breaths</p>
<p>Interactive Effects: No information found.</p>

12 ECOLOGICAL INFORMATION

<p>Ecotoxicity: A fumigant that can be lethal to organisms if organisms are exposed to the gas. No specific toxicity data found.</p>
<p>Persistence and Degradability: If released to air, phosphine will be degraded in the atmosphere by reaction with photochemically-produced hydroxyl radicals; and has a reported atmospheric half-life of 5 hours. Phosphine will dissipate rapidly from soil and water surfaces. Studies have shown that sub-surface phosphine may bind to soil.</p>
<p>Bioaccumulation Potential No data found:</p>
<p>Mobility in Soil: Because of its high volatility, the product is unlikely to cause ground or water pollution. Laboratory studies suggest that phosphine present below the soil surface is quickly adsorbed, but interaction with soil is soil-type dependent. Partition into soil is unlikely.</p>

SAFETY DATA SHEET

Product:	UltraPhos® Phosphine Fumigant	Date Prepared: 29 September 2022
Company:	Specialty Gases Pty Ltd	Replaces: 13 Dec 2021
		Page 12 of 14

Results of PBT and vPvB assessment:
Not classified as PBT or vPvB

13 DISPOSAL CONSIDERATIONS

Disposal Methods:

Cylinders remain the property of Specialty Gases Pty Ltd. Empty cylinders and return container to supplier. Before transporting cylinder ensure they are firmly secured and ensure cylinder valve is closed and not leaking, valve outlet cap nut is correctly fitted, valve protect cap is correctly fitted.

14 TRANSPORT INFORMATION

Consult the ADG 7.7, IMDG and ICAO/IATA Codes for all the transport requirements for the specified UN Number.

	Land Transport (ADG 7.7)	Sea Transport (IMDG)*	
UN Number	2199	2199	
UN proper shipping name	PHOSPHINE	PHOSPHINE	
Transport Hazard Class	2.3 (2.1)	2.3 (2.1)	
Packaging Group	None assigned	None assigned	
Marine Pollutant		No	

* Consult IMDG Code for sea transport and IATA Code for air transport provisions and instructions

Environmental hazards for transport purposes	Classified as an aquatic acute hazard.
Special Precautions for User:	Store cylinders upright. Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers: - Ensure there is adequate ventilation. - Ensure that containers are firmly secured. - Ensure cylinder valve is closed and not leaking. -

SAFETY DATA SHEET

Product:	UltraPhos® Phosphine Fumigant	Date Prepared: 29 September 2022
Company:	Specialty Gases Pty Ltd	Replaces: 13 Dec 2021
		Page 13 of 14

	Ensure valve outlet cap is correctly fitted. - Ensure valve protection cap is correctly fitted.
Hazchem Code:	2PE

15 REGULATORY INFORMATION

Poison Scheduling:	S7
APVMA Registration No:	68499

16 OTHER RELEVANT INFORMATION

This product is for use by authorised or licensed persons only.

Glossary:

ADG	Australian Code for the Transport of Dangerous Goods by Road & Rail Edition 7.5, 2017
AS/NZS	Australian Standard/New Zealand Standard
BCF:	Bioconcentration Factor - a measure for the characterization of the accumulation of a chemical in an organism. It is defined as the concentration of a chemical in an organism (plants, microorganisms, animals) divided by the concentration in a reference compartment (e.g. food, surrounding water).
CAS Number:	Unique Chemical Abstracts Service Registry Number
EC₅₀:	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species).
ErC₅₀	The concentration of test substance which results in a 50 percent reduction in growth rate.
Explosive Limits:	The range of concentrations (% by volume in air) of a flammable gas or vapour that can result in an explosion for ignition in a confined space.
GHS:	Globally Harmonized System of classification and labelling of chemicals (GHS)
Hazchem Code:	Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters
HCIS:	Hazardous Chemical Information System (http://hcis.safeworkaustralia.gov.au/HazardousChemical)
IARC:	International Agency for Research on Cancer
IDLH:	Immediately dangerous to life or health (IDLH) is defined by the US National Institute for Occupational Safety and Health (NIOSH)
K_{oc}	The organic carbon partition coefficient (mL soil water /g organic carbon).
LC₅₀:	Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population.
LC₅₀	The dose of a chemical that will kill 50% of the test animals receiving it.

SAFETY DATA SHEET

Product:	UltraPhos® Phosphine Fumigant	Date Prepared: 29 September 2022
Company:	Specialty Gases Pty Ltd	Replaces: 13 Dec 2021
		Page 14 of 14

NTP:	National Toxicology Program (USA)
pH:	Measure of how acidic or alkaline a material is using a 1 - 14 scale. pH 1 is strongly acidic and pH 14 strongly alkaline
P_{ow}:	The octanol-water partition coefficient. Commonly used to indicate potential the fate of chemicals in the environment
SDS:	Safety Data Sheet
STEL:	Short term exposure limit (STEL) means the time-weighted average maximum airborne concentration of a substance calculated over a 15-minute period.
SWA:	Safe Work Australia.
TWA:	8-hour Time-weighted average (TWA) means the maximum average airborne concentration of a substance when calculated over an eight-hour working day, for a five-day working week.
WES:	Workplace exposure standard
UN Number:	United Nations Dangerous Goods Number

References:

Work Safe Australia Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (2020). The exposure standards comply with the Australian Workplace Exposure Standards for Airborne Contaminants. The Dangerous Goods Classification complies with the Australian Code for the Transport of Dangerous Goods by Road & Rail Edition 7.7, 2020. Other information from Work Safe Australia HSIS database, ChemIDPlus and linked databases and the European Chemicals Agency Classification and Labelling database. USA NIOSH and component SDSs.

Date Prepared:	29 September 2022
Replaces:	13 December 2021
Sections Revised:	14

Disclaimer:

This Safety Data Sheet (SDS) has been prepared in compliance with the Work Safe Australia Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice). The information in this SDS should be provided to all who will use, handle, store, transport, or otherwise be exposed to this product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Specialty Gases Pty Ltd. shall not be held liable for any damage resulting from handling or from contact with the above product.

© Copyright 2021 Specialty Gases Pty Ltd. License granted to make unlimited paper copies for internal use only.